

Section 305.4.1 – Sewer Depth. Building sewers that connect to private sewage disposal systems shall be a minimum of eighteen (18) inches below finished grade at the point of septic tank connection. Building sewers shall be a minimum of six (6) inches below grade.

Section 708.1.2.1 – Building Sewers. Sewage line clean-outs shall be permanently protected from damage at ground level by a method approved by the building official.

Section 903.1 - Roof Extension. All open vent pipes that extend through a roof shall be terminated at least six (6) inches above the roof, except that where a roof is to be used for any purpose other than weather protection, the vent extensions shall be run at least 7 feet (2134 mm) above the roof.

COMMERICAL MECHANICAL SYSTEMS:

(d) International Mechanical Code, 2018 Edition; provided, however, that the following sections are amended to read as follows and/or added to said code:

Section 101.1: (insert) City of Foley, Alabama

Section 606.4.2 – Alarm activation from the installed protective signaling system shall cause shutdown of all HVAC units in the zone, floor or area. If the signaling system is unable to designate a specific zone, floor or area, global shutdown of all HVAC systems in the building shall occur upon fire alarm activation.

FIRE CODES:

(e) International Fire Code, ~~2018~~ 2021 Edition; and Appendices A, B, C, D, F, H and I; provided, however, the following sections are amended to read as follows and/or added to said code:

Section 101.1: City of Foley, Alabama

~~110.4~~ 112.4 Fire Code Violation

Violation penalties. Persons who shall violate a provision of this code or shall fail to comply with any of the requirements thereof or who shall erect, install, alter, repair or do work in violation of the *approved construction documents* or directive of the *fire code official*, or of a permit or certificate used under provisions of this code, shall be guilty of a **Fire Code Violation**, and upon conviction, punishable pursuant to Section 1-8 of the Foley Code of Ordinances. Each day that a violation continues after due notice has been served shall be deemed a separate offense.

Section ~~112.4~~ 113.4 Failure to comply. Any person who shall continue any work after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe, upon conviction, shall be liable and subject to penalties as found in the Foley Code of Ordinances, Section 1-8.

Section 302.1 Definitions – Definitions.

RECREATIONAL FIRE. An outdoor fire for pleasure, religious, ceremonial, cooking, warmth or similar purposes, burning material other than rubbish.

PORTABLE/FIXED OUTDOOR FIREPLACE. A portable or fixed, outdoor, solid-fuel-burning fireplace that may be constructed of steel, concrete, clay or other noncombustible material. A portable or fixed outdoor fireplace may be open in design, or may be equipped with a small hearth opening and a short chimney or chimney opening in the top.