



MMP, LLC.
 2068 290th Street
 Oskaloosa, IA 52577
 Bus: 641-673-8864
 Cell: 641-660-7693

Incinerator Invoice

Foley Police Department
 Attn. Tony Nelson
 200 East Section Ave.
 Foley, AL 36535
 Contact Phone # 251-923-9513

Date: 11/15/2017
 Invoice: # 8270

Model	Size	Description	Price	Qty	Total Price
36 / 400Lb cap	30" X 6'	Heat Block Lined Incinerator Natural Gas / Door size (18" x 42")	\$ 4,100.00	1	\$ 4,100.00
Natural Gas Burner		Up charge / Per Burner	\$ 1,100.00	1	\$ 1,100.00
Freight	Mld 36	To Zip: 36535	\$ 700.00		\$ 700.00
Total Delivered					\$ 5,900.00
20% Down		With Order			\$ 1,180.00
80% before Shipping					\$ 4,720.00
10 to 12 weeks lead time		20% down with order			

All Prices are Ex-Factory Decatur, Indiana and in U. S. Dollars

MCS Contracting, Inc.
PO Box 636
Summerdale, AL 36580
251-747-3011

December 18, 2017

Foley Police Dept.


Burn Shed

MCS to furnish and install:

Form and pour 10x10 concrete slab.
(4) 6x6 mounted in concrete.
Bands for trusses .
Trusses with metal roof.
2' over hang .
Electrical : receptacle , light and light switch.

\$9,010.00

Thank You !



Kelly O'Donnell <kodonnell@foleypolice.org>

Incinerator Project

Michael Thompson <mthompson@cityoffoley.org>

Mon, Feb 12, 2018 at 4:15 PM

To: Kelly O'Donnell <kodonnell@foleypolice.org>

Cc: Wayne Trawick <wtrawick@cityoffoley.org>, Shawn Miller <smiller@foleypolice.org>

Hi Kelly,

Yes I understand that this is in the captial plan and that the cost of the project is projected to be at or below that capital budget, therefore I am in agreement with moving forward.

regards,

Mike

[Quoted text hidden]

Capital Purchase Worksheet	
Directions:	
Please complete all questions below and submit to Mike Thompson and Wayne Trawick for approval.	
Submitted by:	Lt. Shawn Miller
Date Submitted:	1/16/2018
Is this purchase listed as a capital purchase in the approved budget?	Yes
What amount is approved in the budget for this purchase?	\$20,000 ⁰⁰ —
Description of the item and why the item is needed at this time.	
Incinerator to be used for destruction of evidence.	
Building & Pad to be used for location of incinerator.	
Can your job be performed without the purchase of this item? Please explain below.	
No	
Have you obtained any quotes on the purchase to determine if it will come in, at, or below budget? If so, please attach.	
Yes, see attached.	
Is this to replace a current capital asset?	No
If so please list below the item being replaced and why it can not be used any longer.	
N/A	
How do you plan to dispose of the item that is being replaced?	
N/A	

[illegible]