



QUOTE #

SECQ1956

DATE

Jun 10, 2020

CONTRACT CUSTOMER ID#

44586

CONTRACT#

091219-NWY

To: Darrell Russell City of Foley 120 E Orchid Avenue

Foley, AL 36535 United States

Phone: (251) 943-8897 drussell@cityoffoley.org

Sales Contact:

Jeff Bodiford

251-298-9398

jeffb@secequip.com

QUOTE STATUS

SHIPPING TERMS

DELIVERY IN DAYS

PAYMENT TERMS

Sourcewell (NJPA)

Customer Location

Net Delivery

QTY

DESCRIPTION



- 33 vd Dump (29 BODY W/4 TG) Complete mount, Front mount tandem vane pump, ALL LED body lights, Strobes (2) in upper tailgate, 10 lb fire extinguisher, upper light bar with stop/tail, Dual camera 7" flat screen, Paint white, One year arm and body warranty, Two year cylinder warranty
- (31YDXL & 33YD) Severe Refuse Package: 7GA AR Hopper FLR & Side Liner, Forward Panel of Body 1 Side Wall 7GA AR450, Body Floor & GA AR450 32" intoBody, Chromium Overlay on Packer Guide Rails
- 1 Hydraulic Hopper Cover (126305)
- 1 Arm Spill Shield (Standard Arm Only)
- Hinged Front Cylinder Splash Shield 1
- 1 Hopper Access Ladder
- 1 **Trough Cleanout Tool**
- 1 Cleanout Chute Extension (Both Sides - 126940) (One Side - 134368) Location: LH or RH
- Large Caution Decal 1
- 1 LED Mid Body Backup Lights - Includes (2) Lights
- LED Work Lights (1) Light in Hopper and (1) Curbside Toward Arm 1
- 1 Strobe Light (Surface Mount)

QTY DESCRIPTION 1 Strobe Light Package (Integrated Strobe System) (2) round lights mounted lower tailgate 1 Strobe Light Package (Integrated Strobe System) (2) round lights mounted front of body - bulkhead 3rd Eye Triple Camera system with 7" Color Monitor Center Tailgate location standard - Choose 2 additional locations from list below: 1 Remote Grease zerks Tailgate and Upper Cylinder Hinge Pins (130548) Arm Controls Rocker Switches Under Seat Arm Cycle Counter Electronic Filter By-Pass Indicator In Cab 1 Hour Meter on PTO Low Fluid Level Switch (Includes Shutdown) 1

This quote does not include any federal, state, or local taxes.

* In stock equipment are subject to prior sale. *

Please contact me if I can be of further assistance.

Municipal Discount per Sansom

TOTAL

\$136,953.79

BIRMINGHAW OFFICE

1

1

Freight

2800 Powell Avenue Birmingham, AL 35233 Ph: (205) 324-3104 Fax: (205) 324-2679

MOBILE OFFICE

2025 West I-65 Service Road North Mobile, AL 36618 Ph: (251) 631-3766 Fax: (251) 631-3768

SHELBYVILLE OFFICE

3196 Highway 231 North Shelbyville, TN 37160 Ph: (615) 696-7066 Fax: (615) 413-5323





CTIDE VANDER VIR






TRACTION IN ANY ENVIRONMENT

With the New Way® Sidewinder XTRTM Automated Side Loader, efficiency is always at your side. Enjoy smooth one-operator convenience and a faster compaction rate than any other side loader on the market. Combine the strongest frame-mounted arm in the industry—boasting a 12-foot reach—with the convenience of automated loading and the ability to maneuver in tight spaces and you have an agile, ultra-tough, overbuilt loader.









GENERAL SPECIFICATIONS

Model	22	24	29	31
Body Capacity	22 yd³	24 yd³	29 yd³	31 yd³
Body Width (A)	96"	96"	96"	96"
Body Height (B)	108*	108"	108"	108"
Body Length (C)	237"	247"	286"	297"
†Raised Tailgate Height	213"	213"	213"	213"
†Body Height (Raised)	195"	195"	229"	229"

MINIMUM CHASSIS SPECIFICATIONS

Model	22	24	29	31
*Minimum GVWR	46,000 lbs	46,000 lbs	64,000 lbs	64,000 lbs
Usable C/T Requirement	160"	160"	197"	197"

PACKER SPECIFICATIONS

6 yd ³
2 yd³
21 secs.
8.5*
75,000 lbs @ 3,000 psi

ARM SPECIFICATIONS

Arm Extension	144"	
Arm Lifting Capacity	1000 lbs	
Horizontal Mast Bearings	6	
Arm Cyde Time	6-8 secs.	

BODY CONSTRUCTION

Roof	10 gauge	80K
Sides	Vs"	AR450
Packer Panel	W'	AR450
Body Floor	3/16"	AR450
Tailgate Back	Vs"	AR450
Tailgate Sides	10 gauge	80K
Hopper Floor/Sides	W'	AR450
Ram Guide	3%" x 3"	AR400 wear strips 1/4" sides

HYDRAULIC SYSTEM

Oil Reservoir	70 gal
Oil Flow Rate	
Body	20 gpm @ 750 RPM
Arm	18 gpm @ 750 RPM
Body Operating Pressure	
22-24 yd ³ units	2500 psi
29-31 yd ³ units	3000 psi
Arm Operating Pressure	2000 psi
Hoses	4-to-1 burst
Return Filters	Dual in-tank 10 micron absolute

HYDRAULIC CYLINDER SPECIFICATIONS

Tailgate Cylinders	3" x 30" x 2"
Pack Panel Cylinders	4" x 43" x 2.5"
Gripper Cylinder	1.5"x 5" x 1"
Vertical Lift Cylinder	3" x 16" x 2"
Body Hoist Cylinder	
29-31 yd³	6.5" x 180" 4-Stage
22-24 yd³	6.5" x 150" 4-Stage
Horizontal Mast Cylinder	2" x 54" x 1.25"
Hopper Cover Cylinder	2" x 18" x 1.25"

† As measured from top of truck frame.

AUTHORIZED NEW WAY DEALER

STANDARD EQUIPMENT

- Pack-on-the-Go
- Twin 14.5" x 7" clean out doors
- Chrome cylinder rods w/scrapers
- Interlocked side access hopper door
- Nitro carbonite single-hoist cylinder
- Sight gauge on reservoir tank
- Tailgate ajar alarm
- Imron elite productive paint
- High-grade hydraulic fluid
- Dual camera system
- Reinforced frame-mounted arm
- In-line heavy duty grippers
- Sealed roller bearings on packer follower panels
- Ergonomic in-cab control panel and joystick
- Smooth body sidewall design
- Positive automatic tailgate lock
- Back-up alarm
- Body ajar alarm
- Hour meter
- "Arm stowed" indicator
- ANSI Z245.1-2017 compliant
- Multi-cycle packer
- Home position arm lock
- Fold-up valve door

OPTIONAL EQUIPMENT

- Hydraulic hopper cover
- 300 gallon gripper
- Camera options
- Additional arm controls
- Hopper ladder
- Broom/shovel racks
- Arm cycle counter
- CNG powered
- West Coast/Lightweight model also available (1,500 lbs reduction)
- Choice of control systems: Air over hydraulic controls CAN bus controls for in-cab diagnostics
- In-cab adjustable gripper pressure
- Also available in 18, 20 and 33 yd models









^{*}Any Chassis sent to Scranton Manufacturing with less than the minimum guideline requirements will not be mounted. (Chassis must be copable of carrying the net weight of the body plus the weight of the refuse collected.)