



# Enhance Mats

## *6' Court Armor Roll System*



---

*Designed to fit through a  
single 36" standard doorway*

---

04/09/2026


Estimate # 12784 - Foley Events Center

Justin Davis - 256-572-1966

Foley Events Center

TBD

Foley, AL 36535



# Estimate

Enhance Mats  
 PO Box 2211  
 Marietta GA 30061  
 877-318-8625  
[sales@enhancemats.com](mailto:sales@enhancemats.com)  
[www.enhancemats.com](http://www.enhancemats.com)

**CLIENT:** Foley Events Center

|                    |              |
|--------------------|--------------|
| <b>ESTIMATE #:</b> | <b>DATE:</b> |
| 12784              | 04/09/2026   |

**SHIP TO**

Justin Davis - 256-572-1966  
 Foley Events Center  
 TBD  
 Foley, AL 36535

|                    |                       |
|--------------------|-----------------------|
| <b>REFERENCE</b>   | <b>PURCHASE ORDER</b> |
| 30x roll - NO rack |                       |

| ACTIVITY  | QTY    | RATE | AMOUNT    |
|---|--------|------|-----------|
| <p>Court Armor Roll (6' wide):Court Armor Roll (6' wide)</p> <p>Production time is up to 20 business days after we receive PO/payment and sample approval.</p> <p>30 rolls at 150' long x 6' wide, roughly 1/16" thick<br/>           105 lb. per roll<br/>           Color: Charcoal</p> <p>Key benefits: Antimicrobial, fire-rated, moisture barrier, acoustical improvement, 100% recycled polyester carpet.</p> <p>Sufficient to cover an area of 150' L x 180' W (27,000 SF)</p> <p>Please note that there could be a variance of up to plus one percent in the length and that these rolls are best used on maple wood or vinyl surfaces so let us know if deployment will be on a different surface.</p> <p>Includes: Court Armor Connect rolls (hook tape)</p> <p>Warranty: 4 years limited or 60 deployments (after 60 deployments material will still be fine to use though the hook tape will not grip as well but this can be remedied with wider hook tape so you won't have to replace the entire system but please consider carpet tiles as an alternative if you plan to use the system enough for this to be a possible issue)</p> | 27,000 | 1.05 | 28,350.00 |
| <p>CAC445</p> <p>Court Armor Connect - 45 yard (135') rolls - To secure seam between Court Armor Rolls.</p> <p>KEY NOTE - The first few times the Connect tape is used it will not grip the Court Armor Roll as tightly as might be expected but this will improve with use as the fibers in the armor rolls are loosened up. This is because if the material was loose right from the start then it would quickly degrade and the Connect tape would not be able to get any grip so this gives the material a much longer useful life span.</p> <p>For any areas that are troublesome you can rub the Connect tape over the area rapidly to loosen the fibers and get a better grip.</p>   | 34     | 0.00 | 0.00      |
| <p>Shipping Notes - GFC rolls</p> <p>**<br/>           Sidemark: TBD</p>  | 1      | 0.00 | 0.00      |

|   |   |      |      |
|---|---|------|------|
| <p>Delivery will be easier if you have a loading dock and a longer pallet jack (6' or more) due to these pallets being 10' or 12' in length (or a fork lift (preferably with extensions) but we realize this is rare).</p> <p>If you do not have a loading dock or fork lift then the rolls and rack components can be unloaded by hand without much trouble though we do advise that you have 2 or more people available to receive the shipment.</p> <p>Please inspect delivered goods upon receipt to ensure there is no damage (for truck shipments, please either reject damaged pallets/rolls or mark as damaged on the paperwork with the driver) because shipping damage claims must be filed quickly (within 3 days) or they will be past the window where damage can be claimed.<br/>**</p> |   |      |      |
| <p>Project Notes</p> <p>*</p> <p>Please note each roll will ship on a cardboard core and since the velcro rolls are 135' long I have included 4 additional rolls if you want to cut additional 15' pieces to cover the entire length though you could also just do 135' per seam as that will be plenty to ensure they are tightly bonded together.</p> <p>*</p>  | 1 | 0.00 | 0.00 |

**\*\* PLEASE NOTE OUR ACH BANKING INFORMATION HAS RECENTLY CHANGED, CONTACT US FOR UPDATED INFO. \*\***

*All estimates are valid for 30 days.*

*Please note a 3% fee will be added to all payments processed via credit card.*

*Shipping is initially quoted to commercial locations, residential addresses will incur additional costs.*

*NOTE: All custom orders are non-refundable. Any qualified exchanges will incur a 25% restocking fee.*

*Thank you for your business. For all maintenance, warranty, and product information visit our website at [WWW.ENHANCEMATS.COM](http://WWW.ENHANCEMATS.COM).*

|              |                    |
|--------------|--------------------|
| SUBTOTAL     | 28,350.00          |
| SHIPPING     | 1,241.08           |
| <b>TOTAL</b> | <b>\$29,591.08</b> |

## Maintenance Guidelines

Court Armor Roll • Court Armor Tile • Premier Tile

### Cleaning & Maintenance Recommendations

The following cleaning & maintenance instructions are recommended to ensure the product maintains its desired appearance and an optimal performance level, as well as ensuring a long product life span.

#### Cleaning

- Vacuum daily with a heavy-duty “commercial style” vacuum cleaner. A vacuum that features a rotary power brush or beater bar to remove deeply embedded dirt particles, especially in heavy traffic areas is highly recommended.

#### Spot Removal

- If a spill occurs, blot excess liquid with a clean absorbent cloth or paper towel. Spray the affected area with an all-purpose spot remover\* and rub\*\* the surface with a clean white cloth. Grease or oil based stains may require a degreaser\* which could be found at a local janitorial supply distributor.

*\*Note – Always test spot removers and degreasers in an inconspicuous area of the mat.*

*\*\*Note – For Court Armor Rolls, blotting instead of scrubbing or rubbing is recommended for best results.*

#### Gum Removal

- Using a putty knife, remove excess chewing gum from the carpet/matting. For gum residue, a commercial grade solvent based gum remover may be required. Before use of the gum remover, score the surface of the remaining gum. This allows the gum remover to penetrate more effectively. Please refer to the gum remover’s directions for detailed instructions. Gum removers are available at your local janitorial supply distributor.

#### Periodic Maintenance

- Carpet and matting is subjected to varying environments and traffic levels. Your specific traffic and environmental variants will dictate actual periodic maintenance requirements. When deep cleaning is required, Host® Dry Extraction or hot water extraction is recommended to loosen and remove deeply embedded soils. Quarterly extraction is the minimum recommended frequency for high traffic areas or areas that are heavily affected by inclement weather. Please consult your local cleaning professional for a personalized recommended cleaning schedule.