Foley

City of Foley, AL

407 E. Laurel Avenue Foley, AL 36535

Signature Copy

Resolution: 24-1032-RES

File Number: 24-0049 Enactment Number: 24-1032-RES

Resolution to Approve the Purchase of Arrow Board Signs for Street Department- Traffic Control.

WHEREAS, Street Department- Traffic Control requests to purchase 2 vehicle mount arrow board signs and 4 portable arrow board signs from K & K Systems for a total of \$19594.57 under GSA contract # GS-03F-0015Y, AND

WHEREAS, this purchase is budgeted for \$20,000.00 under Acct# 100-3014-5100.

NOW THEREFORE BE IT RESOLVED that the City Council of the City of Foley, Alabama, as follows:

SECTION 1: Approves the purchase of 2 vehicle mount arrow board signs and 4 portable arrow board signs under GSA contract # GS-03F-0015Y from K & K Systems for a total of \$19,594.57 under account # 100-3014-5100.

SECTION 2: This Resolution shall become effective immediately upon its adoption as required by law.

PASSED, APPROVED AND ADOPTED this 16th day of January 2024.

President's Signature

Date

1-16-24

Attest by Clerk

Doto

1-16-24

Mayor Signature

Date

e ____

Capital Purchase Worksheet	24-0049
<u>Directions:</u> Please complete all questions below and submit to Mike Thompson and Wayne	e Trawick for approval.
Submitted by: Darrell Russell	
Date Submitted: 1/8/24	
Is this purchase listed as a capital purchase in the approved budget?	YES
What amount is approved in the budget for this purchase?	\$20,000.00
Description of the item and why the item is needed at this time. 2 vehichle mount LED arrow boards and 4 solar powered LED arrow boards	
Can your job be performed without the purchase of this item? Please explain be No, multiple tasks are being done at the same time and we are needing more fla Arrow Boards are used in parades, emergncy spill, flag installs, christmas decor	asing arrow boards.
Have you obtained any quotes on the purchase to determine if it will come in, a Yes, below budget	at, or below budget? If so, please attach.
Is this to replace a current capital asset? If so please list below the item being replaced and why it can not be used any lo	onger.
How do you plan to dispose of the item that is being replaced?	
Approval by City Administrator July Trypo 1/1/6	hu
Signature and Date	

\$21 Jail 1-8-24

Signature and Date

Approval by Council President

K&K Systems

Components

QUOTATION

687 Palmetto Road

Tupelo, MS 38801

www.k-ksystems.com

email: cphillips@k-ksystems.com

Office 662-566-2025, Cell: 662-

Phone: 542-3182

Fax: 662-566-7123
TollFree: 1-888-414-3003

Quotation #: Q240105CP-1 Prepared for: Virgil Conway
Quotation Date: 1/5/2024 Quote Valid: 45 days
Customer Type: Your Cost Prepared by: Chip Phillips

Prepared by: Chip Phillips

Ship To: (Must be filled out Completely)

Name: Darrell Russell

Company Name: City of Foley
Street Address: Public Works
Address 2: 120 E. Orchid Avenue

Name: Darrell Russell

Company Name: City of Foley
Street Address: 120 E. Orchid Avenue

City, ST ZIP Code Foley, AL 36535

City, ST ZIP Code Foley, AL 36535
Tel: 251-943-8897
Days open to Deliver: MONDAY - FRIDAY; 24-HOURS NOTICE

Cell: Hours to Deliver: 6:15 a.m. to 1:45 p.m.

Fax: Is Forklift Available: YES email: drussell@cityoffoley.org email: drussell@cityoffoley.org

Packaging No Packaging

Bill To:

Product	HOW BOOK IS			
Qty	Model #	<u>Description</u>	Price Each	Extended Price
2	AV253060	Vehicle Mount 25 Lamp par 46 (LED) Arrow Board. Sign dimensions are 32" x 60" all aluminum fabrication with black powder coat finish to give smooth look. Also comes with 360 degree visors, and built-in controller.	\$1,775.88	\$3,551.76
2	AB-M-HMLP	Hitch mount low profile assembly. Recommended for 32X60 board. (Board must not cover tail lights) (Requires 2PIN connector-2pin flat power connector that plugs into trailer connector. SOLD SEPERATELY.)	\$409.35	\$818.71
2	2PIN	2 pin flat power connector (plugs into trailer connector)	\$56.02	\$112.0
		****MUST BE ADJUSTABLE UP TO 2 FOOT****		
4	AT154896	Solar Powered, 15 Lamp (LED) Arrow Board. Sign dimensions are 48"x96" all aluminum fabrication with black powder coat finish to give smooth look, 30 watts solar and 10 watts solar for a total of 40 watts of solar, solar regulator with LVD to protect batteries from over discharge. 2 (two) 18 amp batteries, (5)-five swivel type jacks (one on each corner of trailer plus one tongue jack).	\$3,715.51	\$14 ,862.05

Special Notes

GS-03F-0015Y (ends: Oct 14, 2026)

Terms of PurchaseSubtotal:\$19,344.57FOB:Tupelo, MSTotal Shipping Costs:\$250.00

Delivery (weeks):

Warranty: 1 Year Limited Warranty, Factory Depot GRAND TOTAL: \$19,594.57

Sales Person Signature: Chip Phillips Work Order# WO#

Here
Sales Manager Signature: Timothy Keith Client PO# Enter PO# Here

Please note: The above specifications and quotation does not include shipping, permits, or taxes unless otherwise stated. The freight charge is an approximate estimate for your reference; the actual charge may vary. There will be an additional 3% charge on all credit card orders unless otherwise stated.

^{*}Lead-time committed is based on the date Purchase Order is received by K&K Systems and deposit made and/or credit approved. Lead time is not based on the date quoted.

Capital Purchase Worksheet	24-0049			
<u>Directions:</u> Please complete all questions below and submit to Mike Thompson and Wayne Trawick for approval.				
Submitted by: Darrell Russell				
Date Submitted: 1/8/24				
Is this purchase listed as a capital purchase in the approved budget?	YES			
What amount is approved in the budget for this purchase? \$20,000.00				
Description of the item and why the item is needed at this time. 2 vehichle mount LED arrow boards and 4 solar powered LED arrow boards				
Can your job be performed without the purchase of this item? Please explain below. No, multiple tasks are being done at the same time and we are needing more flasing arrow boards. Arrow Boards are used in parades, emergncy spill, flag installs, christmas decorations, row work etc.				
Have you obtained any quotes on the purchase to determine if it will come in, at, or Yes, below budget				
Is this to replace a current capital asset? If so please list below the item being replaced and why it can not be used any longer.				
How do you plan to dispose of the item that is being replaced?				
Approval by City Administrator				
Signature and Date	_			
Approval by Council President 12112 1 1-8-24				
Signature and Date				