




Quote

07/29/2025

To: Foley Police Department Dean 200 E Section Ave Foley, AL 36535 251-437-5104 (Contact)	Project: Foley Police Department - Freezer 200 E Section Ave Foley, AL 36535	From: Hawk Inc. Alexa Laseter 301 Hawk Place 301 Hawk Place Montgomery, AL 36117 334-271-1150 334-356-7714 (Contact)
---	--	--

This item has to be ordered from the Manufacturer with an approx. lead time of 10 business days.

PRICES ARE GOOD FOR PURCHASING WITHIN 30 DAYS & SUBJECT TO AVAILABILITY

Item	Qty	Description	Sell	Sell Total
1	1 ea	REACH-IN FREEZER  Turbo Air Model No. M3F47-2-N M3 Freezer, reach-in, two-section, 42.3 cu. ft., 51-3/4"W x 30-3/4"D x 77-7/8"H, top mount compressor, self-cleaning condenser, digital temperature control & monitor system, hot gas condensate system, LED interior lighting, self-cleaning condenser device, (2) solid doors with locks, (6) PE coated wire shelves, stainless steel exterior (galvanized steel top, bottom and back), aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 2/3 HP, 115v/60/1-ph, 6.3 amps, NEMA 5-15P, ETL-Sanitation, cETLus, ENERGY STAR® Dimensions 77.87(h) x 51.75(w) x 30.75(d)	\$6,173.52	\$6,173.52
	1 ea	Note: Contact factory representative for parts & accessories discounts		
	1 ea	5 year parts & labor warranty, standard		
	1 ea	7 year compressor warranty (self-contained only)		
	1 ea	Self-cleaning condenser device equipped, standard		
	1 ea	Non-Standard mounting options below:		
ITEM TOTAL:				\$6,173.52

Hawk Inc.

07/29/2025

Merchandise	\$6,173.52
Deliver & Install	\$400.00
Subtotal	\$6,573.52
Total	\$6,573.52

Payment terms:

Payment is due upon acceptance of quote

This price includes:

1. White Glove Delivery: un-crating, setting in place, leveling and assembly, utility connections to be made by others (licensed electrician/ plumber)
2. Assembly: Equipment assembly prior to delivery
3. Inspection: Equipment inspected to meet quality standards prior to delivery
4. Warranty Support: Hawk, Inc. will assist you with your warranty claims where applicable

This price does not include:

1. Disconnection of utilities from existing equipment.
2. Reconnection of utilities to new equipment.
3. Electrical, mechanical, or plumbing work.
4. Taxes

Alexa Laseter

Sales Associate

Hawk Inc.

Office (334) 356-7714

TURBO air
REFRIGERATOR MANUFACTURER

more durable, efficient, beautiful

4184 E. Conant St.
Long Beach, CA 90808
Tel. 310-900-1000
Fax. 310-900-1077
www.turboairinc.com

Project:

Model #:

Item #:

Available W/H:

Qty:

Approval:

AIA #:

SIS #:

CSI Section 11400

Solid Door Freezer

Reach-In Top Mount
M3 Series

FEATURES & BENEFITS

Self-Cleaning Condenser

The accumulation of dust in the condenser can cause the failure or breakdown of refrigerators. Refrigerators run normally until they reach a certain level of accumulation. At some point, when they are over the limit, their performance drops quickly resulting in damage to, or disposal of the stored products inside. The Self-Cleaning Condenser device keeps the condenser clean and prevents system failure by automatically brushing daily.

Digital temperature control & monitor system

- Keeps food products safe by maintaining constant temperatures
- Alarms that sound when doors are not sealed shut; protect against food spoilage that originates from cold air leaks
- Early warning alarm program detects issues before malfunction occurs
- Digital display allows for easy monitoring
- Programs interpret the condition of refrigeration systems by self-diagnosis
- Rapid cool-down function (Turbo Freeze)
- Smart defrost system will defrost as needed
- Automatic evaporator fan motor delays

Hydrocarbon refrigerants (R-290)

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

Stainless steel exterior

The Turbo Air M3 freezer model boasts a stainless steel exterior (galvanized steel top, bottom and back) and AL interior with stainless steel floor. It guarantees the utmost in cleanliness and long product life. Sharp corners and edges have been rounded to reduce the risk of injury. The M3 adds a touch of style to the most refined setting.

Door pressure release device

Pressure relief doors are designed to eliminate vacuum pressure and allow easy door opening.

LED interior lighting

Adjustable, heavy duty, PE (polyethylene) coated wire shelves


High-density polyurethane insulation

The entire cabinet structure and solid doors are foamed-in-place using high density, CFC free polyurethane insulation.


Top mount compressor

Freezer holds -10°F ~ 0°F for the best in frozen food preservation

Model : M3F47-2-N



Patented Self-Cleaning Condenser



This product is equipped with a fine mesh filter to the front of the condenser to catch dust, and a rotating brush that moves up and down daily to remove excess buildup outward and away.

NATURAL
Refrigerant




ENERGY STAR®
Qualified

Model	Swing Doors	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D x H† (inches)
M3F47-2-N	2	42.3	6	2/3	6.3	435	51 3/4 x 30 3/4 x 77 7/8

Solid Door Freezer

Reach-In Top Mount
M3 Series

Model : M3F47-2-N

ELECTRICAL DATA	
Voltage	115/60/1
Plug Type	 NEMA 5-15P
Full Load Amperes	6.3
Compressor HP	2/3
Cord Length (ft.)	9
Refrigerant	R-290
DIMENSIONAL DATA	
# of Doors	2
# of Racks Accepted	2
Net Capacity (cu. ft.)	42.3
Ext. Length Overall (in.)	51 3/4 (1314mm)
Ext. Depth Overall (in.)*	30 3/4 (780mm)
Ext. Height Overall (in.)†	77 7/8 (1979mm)
Int. Length Overall (in.)	47 3/4 (1214mm)
Int. Depth Overall (in.)	24 3/4 (630mm)
Int. Height Overall (in.)	54 1/8 (1374mm)
# of Shelves	6
Shelf Size (L x D) (in.)	23 x 23 1/2
Net Weight (lbs.)	391
Gross Weight (lbs.)	435

Design and specifications subject to change without notice.

Actual shipping weight may differ due to extra packing materials for product protection.

* Depth does not include 2-1/4" for rear condensate enclosure.

† Height does not include 4-3/4" for caster height.

- **WARRANTY :** 5 Year Parts and Labor Warranty
7 Year Compressor Warranty

■ STANDARD FEATURES


- Anti-corrosion coated evaporator
- Self-contained system
- 4" dia. swivel casters with locks on the front set
- Door locks
- Magnetic door gaskets
- Solid and sturdy grille design

■ OPTIONAL ACCESSORIES


- 5" caster, 1/2" diameter & 13 TPI: M726500100 (non-brake), M726500200 (w/ brake)
- 6" stainless steel leg: 30221M0600
- Additional PE coated wire shelf: G8F1800101
- Half door bun tray rack: TSP-2224 (each holds up to six 18"L x 26"D sheet pans)
- Full door bun tray rack: TSP-2250-T (each holds up to fifteen 18"L x 26"D sheet pans)

PLAN VIEW

(unit : inch)



TOP VIEW



SIDE VIEW

Ver.20250314

NATURAL Refrigerant



ENERGY STAR® Qualified

- Turbo Air: 800-627-0032
- Radiance: 800-500-3519
- Warranty: 800-381-7770
- AC: 888-900-1002

Turbo air **RADIANCE** **Turbo air** **Texaking**

Continued product development may necessitate specification changes without notice.