



TRUCKWORX KENWORTH - BIRMINGHAM (K415)
2220 FINLEY BOULEVARD
BIRMINGHAM, Alabama 35234

INGRAM EQUIPMENT
11 MONROE DR
PELHAM, Alabama 35124
United States of America

Carl Cummings
Cell Phone: 205-283-0878
Office Phone: 205-326-6170
Email: carlc@truckworx.com

Sherry

Vehicle Summary

Unit		Chassis	
Model:	T380 Series Conventional	Fr Axle Load (lbs):	12000
Type:	FULL TRUCK	Rr Axle Load (lbs):	21000
Description 1:	KB20 PX9 Knuckleboom	G.C.W. (lbs):	33000
Description 2:			
Application		Road Conditions:	
Intended Serv.:	Local pickup & delivery: Vehicles which	Class A (Highway)	93
Commodity:	Other forest products.	Class B (Hwy/Mtn)	5
Body		Class C (Off-Hwy)	2
Type:	Flatbed.	Class D (Off-Road)	0
Length (ft):	26	Maximum Grade:	6
Height (ft):	12	Wheelbase (in):	254
Max Laden Weight (lbs):	4000	Overhang (in):	75
Trailer		Fr Axle to BOC (in):	67.5
No. of Trailer Axles:	0	Cab to Axle (in):	186.5
Type:		Cab to EOF (in):	261.5
Length (ft):	0	Overall Comb. Length (in):	369
Height (ft):	0	Special Req.	
Kingpin Inset (in):	0	U.S. Domestic registry, 50-state.	
Corner Radius (in):	0		
Restrictions			
Length (ft):	75		
Width (in):	102		
Height (ft):	13.5		

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.

Sales Code	Std/ Opt	Description	Weight
Model			
0000380	S	T380 Series Conventional	9,930
0070086	S	T380 Aero Hood	0
0080050	O	CARB Idle Emissions Reduction Feature for PX-7	0
0090143	O	T380 Automatic	0
0098401	O	State of Registry: Alabama	0
Engine & Equipment			
0130203	O	PX-9 300 300@1850 860@1200, 2021 N09420 C333 0.....Reserve Speed Limit Offset (N09380 C334 0.....Maximum Cycle Distance (N202 N09360 C400 252...Reserve Speed Function Reset N09200 C399 120...Standard Maximum Speed Limit N09400 C401 10...Maximum Active Distance (N20 N09220 C402 0.....Expiration Distance (N207) N09540 C395 0.....Expiration Distance (N209) N09260 C121 72....Max Vehicle Speed in Top Gea N09440 C234 YES...Engine Protection Shtdwn N09460 C231 NO....Gear Down Protection N09580 C133 5.....Idle Shtdwn Time N09680 C233 NO....Idle Shtdwn Override N09480 C132 1400..Max PTO Speed N09300 C128 72....Max Cruise Control Speed N09500 C239 NO....Cruise Control Auto Resume N09520 C238 NO....Auto Engine Brake in Cruise N09780 C190 80....High Ambient Temperature Thr N09740 C188 40....Low Ambient Temperature Thre N09760 C189 60....Intermediate Ambient Tempera N09720 C382 YES...Enable Hot Ambient Automatic N09600 C396 YES...Enable Impending Shutdown Wa N09620 C397 60....Timer For Impending Shutdown N09640 C206 35....Engine Load Threshold N09560 C225 YES...Enable Idle Shutdown Park Br	564
1000046	O	EPA Emissions Warranty Engine	0
1000151	S	PremierSpec	0
1000243	O	Gearing Analysis: Performance	0
1000257	O	Customer's Typical Operating Spd: 70 mph.	0
1000684	O	Effective VSL Setting NA	0
1000858	O	Engine Idle Shutdown Timer Disabled	0

Price Level: January 1, 2023

100% Complete

Date: January 26, 2023

Deal: KB20 PX9 Knuckleboom

Quote Number: QUO-933841-T0X7M6

Printed On: 1/26/2023 8:25:18 AM

Sales Code	Std/ Opt	Description	Weight
1000859	O	Enable EIST Ambient Temp Overrule	0
1000891	O	Eff EIST NA Expiration Miles	0
1002060	S	Air compressor: Cummins 18.7 CFM For Cummins And	0
1041399	S	Air Cleaner: MD Composite Engine Mounted	0
1099080	O	Pre-cleaner mounted in the hood plenum	7
1105231	O	Fan Hub: Horton On/Off for PX-9 or L9N	0
1121232	O	Cooling Module: 2.1M MD Aero Hood, Clog Resistant	0
1247259	O	EXH: 2021 PX-9 Horizontal Under Rail DPF/SCR	0
1321102	S	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9	0
1321200	S	Run Aid:None	0
1321300	S	Start Aid:None	0
1500029	O	Kenworth Fuel Cooler	0
1504006	O	Block heater: PACCAR 750 watt 120V for PX-7	2
1816260	S	Alternator: PACCAR 160 amp, brush type	0
1821210	O	Batteries: 3 PACCAR GP31 threaded post (700-730)	62
1836106	O	Mitsubishi 105P55 12V Starter with Cummins and PX	0
1840067	O	Battery Disconnect Switch Mounted on Battery Box	0
1900996	O	Jump start terminals under hood.	0
1901018	S	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab	0
Transmission & Clutch			
2011631	O	Transmission: Allison 3500RDS 6-speed, With PTO	399
2401905	O	Driveline: 3 Dana standard-duty; 2 centerbearing.	144
2410018	O	Torque converter included w/Allison	0
2410114	O	Left hand Pto access, right hand dip stick tube	0

Sales Code	Std/ Opt	Description	Weight
2410153	O	Push Button Shifter Controls, Center Console	0
2410204	O	Allison Fuel Sense: Delete	0
2410244	O	J1939 Park Brake Auto Neutral	0
2410310	O	Allison Neutral at Stop	0
2429358	O	Rear transmission support springs for	0
2429378	O	Customer installed transmission PTO in the LH	0
Front Axle & Equipment			
2502230	O	Dana Spicer E-1202IL Front Axle rated 12K	0
2621310	S	Front Brakes: 14.6K Bendix ES s-cam 16.5x5 in.	0
2690002	S	Front Brake Drums: 14.6K 16.5x5 in. cast.	0
2702500	S	Front Hub: iron hub pilot 14,600 lbs.	0
2741970	S	ConMet PreSet Plus Hub package; front axle.	0
2750001	S	Hubcap: front vented.	0
2765001	S	Front Auto Slack Adjuster.	0
2790035	O	Maximum length wheel studs for hub pilot wheels	2
2863018	O	Front Springs: Taperleaf 12K w/ shock absorbers.	58
2895223	S	Single power steering gear: 13.2K for air brakes.	0
2899336	O	Power Steering Cooler:Radiator Mounted Air-to-Oil	11
2900099	U	80 mm spacer block <i>Narr 80 mm spacer block need code for 80mm front suspension spacer block</i>	0
2900612	O	Threaded front spring bushings in place of	0
Rear Axle & Equipment			
3031181	O	Single Dana Spicer S21-172 single reduction rear	102
3200557	S	Rear Axle Ratio - 5.57.	0
3330004	S	Single Rear Brakes 16-1/2x7 in. Bendix ES-	0
3392007	S	Single Rear Brake Drums: Cast S-Cam single	0

Sales Code	Std/ Opt	Description	Weight
3403220	S	Single Rear Hubs: Iron hub pilot 11-1/4 in. bolt	0
3407046	O	Longer studs for aluminum wheelsw/ steel hub	6
3441971	S	ConMet PreSet Plus Hub package; single rear axle.	0
3465001	S	Single Rear axle automatic slack adjusters.	0
3485007	S	Spring Brake: 3030 long stroke single 3 in.	0
3495226	S	Bendix 4S/4M anti-lock brake system.	0
3531001	O	Wheel Differential Lock for Dana Spicer Axles	28
3636421	S	Rear suspension: single Reyco 79KB taperleaf 21K.	0
3836310	O	Rear shock absorbers for Reyco 79KB.	35
Tires & Wheels			
4010137	O	Front Tires: Michelin X Line Energy Z 11R22.5 16P	-1
4217094	O	Rear tires: Michelin XDN2 11R22.5 16PR.	60
4900004	O	Rear Tire Quantity: 4	0
5042285	O	Front Wheel: Accuride 50344 22.5x8.25 steel	20
5242389	O	Rear Wheel: Accuride 51487 22.5x8.25 steel	0
5853906	O	Powder coat white steel wheel. Use in conjunction	0
5900004	O	Rear Wheel/Rim Quantity: 4	0
Frame & Equipment			
6054410	O	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to	348
6308715	O	Bumper: Aerodynamic Chrome Requires a bumper	68
6319040	S	40 in. Bumper setting. Requires a bumper code.	0
6321010	S	Front tow loops: Two	0
6391203	O	Custom Frame Layout: 3-4 chassis CFL C/M: same as 261059 CFL A/D: same as 261059 CFL A/T: same as 261059 CFL BBX: same as 261059	0

Sales Code	Std/ Opt	Description	Weight
6404421	O	Battery box: Steel parallel module under w/step,	9
6409902	S	Battery box location: RH Side.	0
6490138	S	Stamped steel intermediate/fill-in crossmember.	0
6490434	O	Heavy-duty 5-piece rear cab support, bolted	15
6721102	O	Rear mudflap arms: Betts B-25 standard-duty,	12
6722000	O	Rear mudflap shields: White plastic antisail w/	9
6742009	S	Square end-of-frame w/o crossmember; non-towing.	0
Fuel Tanks & Equip			
7140050	S	50 US gallon D-Shape rectangular aluminum under	0
7722170	S	Small DEF tank, 5.5 gallons.	0
7839006	O	Polished fuel tank steps.	0
7840015	O	Polish only one aluminum tank.	0
7889203	O	DEF to fuel fill ratio 2:1 or greater.	0
7889606	S	DEF tank location is LH under cab.	0
7920050	S	Location: 50 gal fuel tank LH under cab	0
Cab & Equipment			
8024311	S	Cab: Stamped aluminum with curved windshield	0
8090154	O	Hood: Short Aero w/ Chrome Crown	0
8108002	O	Fine particulate filter for cabin air HVAC	0
8108011	S	Cab HVAC - Day Cab and 40in Sleeper	0
8201047	O	Kenworth Smartwheel: 18 in. Non-Leather With	0
8201200	S	Adjustable telescoping tilt steering column.	0
8205177	O	Dash Switch: 1st Allison-mntd PTO.	0
8205283	O	Info for C/I PTO: Chelsea 10 Bolt	0
8208495	O	Two spare switches: Wired to power.	0

Sales Code	Std/ Opt	Description	Weight
8222405	U	Gauge: DD Virtual Gauge - Fuel Filter	0
8222409	O	Gauge: DD Virtual Gauge - Air Filter	0
8222413	O	Gauge: DD Virtual Gauge - Manifold	0
8222414	O	Gauge: DD Virtual Gauge - Engine Percent	0
8222418	O	Gauge: DD Virtual Gauge - Engine Hours	0
8222419	O	Gauge: DD Virtual Gauge - Volts	0
8240019	U	Exterior Audible Alarm: Park Brake Not Set With	0
8282024	S	Main Instrument Package: 7" Digital Display	0
8282108	O	Modular Dash Options: RH Dash storage unit with	0
8330591	S	Interior Trim Package: 2.1M MD Gray Foam	0
8410126	O	Driver Seat: KW Air Seat IB Tough Cloth w/ Dual	0
8480236	O	Rider Seat: KW Toolbox Seat IB Tough Cloth w/	0
8490161	O	SEAT COLOR: Black Replacing Standard Gray	0
8496559	O	Driver and Rider Seat Belts: Orange Seat Belts.	0
8601432	O	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	0
8698965	O	Speaker Package For Cab: (2) Speakers	0
8699933	O	CB Installation Kit: C/I Center Mtd of Header w/	2
8700197	O	Turn Signal: Non-Self Cancelling	0
8700283	S	LH and RH Trip Ledge Rain Deflectors	0
8700501	O	Metal Int Door Panel Kick Plates	0
8800380	O	Grabhandle: LH & RH SOC Non-Slip Ergonomic	6
8800402	S	Dual Cab Interior Grabhandles: A Pillar Mounted	0
8832113	S	Kenworth Daylite Door with standard LH/RH	0
8841641	O	Air Horn: Sing Round 26" LH Roof	0
8850139	S	Look-Down, Pass. Door, Black 11x6	0

Sales Code	Std/ Opt	Description	Weight
8850842	S	Mirror Shell: Dual Aero In-Mold Black	0
8860852	O	Mirror: Dual KW Aero Rear View	0
8871446	S	Rear cab stationary window 19in x 36in	0
8879917	O	Two additional outboard windows 19in x 12in	10
8890038	O	3.5in x 11.5in Plastic Records Holder:Mounted On	0
8890101	S	One-piece bonded-in windshield with curved glass.	0
8890135	O	Exterior stainless steel sunvisor.	11
8890874	O	Kenworth Cab Air Suspension.	0
8891011	O	Roof: Raised Profile, Stamped Aluminum w/	0
Lights & Instruments			
9010803	S	Headlamps: Single Halogen Complex Reflector w/	0
9022137	S	Marker Lights: Five, rectangular, LED	0
9070138	O	Combination Stop, Tail, Turn & Backup Lights RH	0
9090027	O	Headlamps to turn on when wipers are active.	0
9090115	O	Reflectors: Two Midframe	0
9090180	O	Backup alarm: Tail light bracket mounted variable	0
9090312	O	Body Builder Lighting Harness Coiled End Of Frame	0
9090849	O	Polyswitches replacing fuses. Switch will	0
Air Equipment			
9101218	S	Air Dryer: Bendix AD-HF Puraguard Heated	0
9108001	S	Moisture ejection valve w/ pull cable drain.	0
9140020	S	Nylon air tubing in frame & cab, excluding hoses	0
9140248	O	Locate air dryer under LH rail BOC	0
9140288	O	Air tanks: clear of transmission area.	0

Extended Warranty

Sales Code	Std/ Opt	Description	Weight
9200008	O	Base Warranty - PACCAR PX-9 Engine	0
9200022	S	Base Warranty - Standard Service Medium Duty	0
9220001	O	Base Warranty: Emissions	0
Miscellaneous			
9409852	O	GHG Secondary Manufacturer: Does Not Apply	0
9490003	O	Additional lead time required for off highway &	0
9490206	O	Warning triangle reflector kit: Shipped loose.	4
9490404	O	One 5 lb. dry chemical type fire extinguisher	11
9491659	S	VMUX Architecture	0
Promotions			
Paint			
9700000	O	Paint color number(s). N9702 A - L0006 WHITE N9720 FRAME N0001 BLACK	0
9943004	S	Bumper Unpainted	0
9943048	O	Day Cab Bulk Paint	0
9943050	S	Day Cab Standard Paint	0
9944820	S	1 - Color Paint - Day Cab	0
9965510	S	Base coat/clear coat.	0

Order Comments

Total Weight

11,934

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information