



WARD
INTERNATIONAL TRUCKS

Friday, October 21, 2022

City of Foley
Darrell Russell, Public Works Director
120 E. Orchid Street
P.O. Box 1750
Foley AL 36535

RE: QUOTES ON FOLLOWING (1) 2023 INTERNATIONAL CV515 SFA 4X2 CONVENTIONAL DAY CAB WITH 14' HIGH SIDE DUMP BODY (2) 2023 INTERNATIONAL CV515 SFA 4X4 CREW CAB CHASSIS WITH NON-INSULATED TELESCOPIC AERIAL DEVICE (SIGN TRUCK) and (3) 2023 INTERNATIONAL CV515 SFA 4X4 CREW CAB CHASSIS WITH 11' SERVICE BODY WITH CRANE (SERVICE TRUCK)

Darrell:

Per your request we offer the following:

(1) 2023 International CV515 SFA 4x2 Conventional Day Cab With 14' High Side Dump Body @ **\$77,470.00** FOB Foley AL. (VIN NH734108)

(2) 2023 International CV515 SFA 4X4 Crew Cab Chassis with Non-Insulated Telescopic Aerial Device (Sign Truck) @ **\$135,175.00** FOB Foley AL. (VIN NH734114)


(3) 2023 International CV515 SFA 4X4 Crew Cab Chassis with 11' Service Body with Crane (Service Truck) @ **\$104,579.00** FOB Foley AL. (VIN NH622090)

Brief chassis specifications and body content for each configuration are attached for your review. Chassis VIN indicated above are ON ORDER with estimated build dates indicated on attachments. Estimated build dates are subject to change.

Pricing per Navistar/ Sourcewell Contract #060920-NVS. Please reference this contract number on your purchase order. Price includes Sourcewell approved chassis commodity surcharges from International of \$2,500.00 for CV series chassis and \$180.00 for Continental or Hankook tires.

Please let me know if you need additional information. Thank you for the opportunity.

Sincerely,


Howard Clotfelter
Ward International Trucks

2101 Perimeter Road
(I-10/Michigan Avenue)
Mobile, AL 36615
(800) 476-6841 Toll Free
(251) 433-5616 Office
(251) 433-5617 Fax
www.wardintltrucks.com

Prepared For:

Foley, City Of
Darrell Russell
407 E Laurel Ave.
Foley, AL 36535-2619
(251)943 - 1545

Presented By:

WARD INT'L TRUCKS
Howard M Clotfelter
2101 PERIMETER RD
MOBILE AL 36615 -
(251)433-5616

Model Profile
2023 CV515 SFA (CV515)

AXLE CONFIG:	4X2
MISSION:	Requested GVWR: 19500. Calc. GVWR: 19500. Calc. GCWR: 26000
DIMENSION:	Wheelbase: 189.00, CA: 107.80, Axle to Frame: 75.00
ENGINE, DIESEL:	{International 6.6} EPA 2021, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 1700 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 26,000-lb GCW Max, On/Off Highway
AXLE, FRONT NON-DRIVING:	{Dana Spicer D-800N} I-Beam Type, 7,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer S14-110} Single Reduction, 13,500-lb Capacity, 190 Wheel Ends Gear Ratio: 4.10
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 225/70R19.5 Load Range G HYBRID HS3 (CONTINENTAL), 649 rev/mile, 87 MPH, All-Position
TIRE, REAR:	(4) 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive
SUSPENSION, REAR, SINGLE:	13,500-lb Capacity, Vari-Rate Springs
PAINT:	Cab schematic 100CX Location 1: 9219, Winter White (Std) Chassis schematic N/A

WARD ORDER: 706950 VIN: 1HTKSSWK2NH734108 EST BUILD DATE: 12/09/2022 SUBJECT TO CHANGE

14' PLATFORM DUMP BODY WITH 40" SOILD FIXED SIDES. BARN DOOR REAR GATE. INCLUDES BLACK PAINT, FLAP BRACKETS WITH MUD FLAPS, LED MARKER LIGHTS AND FRONT AND REAR STROBE LIGHTS. REAR RECEIVER HITCH PLATE WITH 7 WAY PLUG AND D-RINGS. VC628-ES ELECTRIC OVER HYDRAULIC HOIST. BODY SUPPLIED AND INSTALLED BY TRUCK EQUIPMENT SALES, MOBILE AL.

UNIT COST = \$77,470.00 EACH

PRICING PER 2022 INTERNATIONAL TRUCK SOURCEWELL AWARD – CONTRACT #060920-NVS

CITY OF FOLEY SOURCEWELL ID# 44586

Prepared For:
 Foley, City Of
 Darrell Russell
 407 E Laurel Ave.
 Foley, AL 36535-2619
 (251)943 - 1545

Presented By:
 WARD INT'L TRUCKS
 Howard M Clotfelter
 2101 PERIMETER RD
 MOBILE AL 36615 -
 (251)433-5616

Model Profile
2023 CV515 SFA (CV515)

AXLE CONFIG:	4X4
MISSION:	Requested GVWR: 19500. Calc. GVWR: 19500. Calc. GCWR: 26000
DIMENSION:	Wheelbase: 199.00, CA: 83.80, Axle to Frame: 63.00
ENGINE, DIESEL:	{International 6.6} EPA 2021, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 1700 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 26,000-lb GCW Max, On/Off Highway
AXLE, FRONT DRIVING:	{Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting
AXLE, REAR, SINGLE:	{Dana Spicer S14-110} Single Reduction, 13,500-lb Capacity, 190 Wheel Ends Gear Ratio: 4.30
CAB:	Conventional 6-Man Crew Cab
TIRE, FRONT:	(2) 225/70R19.5 Load Range H HSR+ (CONTINENTAL), 645 rev/mile, 87 MPH, All-Position
TIRE, REAR:	(4) 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive
SUSPENSION, REAR, SINGLE:	13,500-lb Capacity, Vari-Rate Springs
PAINT:	Cab schematic 100CX Location 1: 9219, Winter White (Std) Chassis schematic N/A

WARD ORDER: 706956 VIN: 1HTKTSWK1NH734114 EST BUILD DATE: 01/09/2023 SUBJECT TO CHANGE

UTEM UTLN35A NON-INSULATED TELESCOPIC AERIAL DEVICE WITH PEDESTAL MOUNT, STEEL BOOM WITH HYDRAULIC LEVELING, STEEL BASKET 24" X 24" X 42" WITH LH DOOR. BASKET END HUNG FOR ADDITIONAL REACH AND INCLUDES PROPORTIONAL CONTROLS. EMERGENCY LOWERING CONTROLS AND 120 VOLT OUTLET AT BUCKET. KNAPHEIDE 6132D54 UTILITY BODY WITH 24" TAILGATE BUMPER, REAR STEP WITH POOL STYLE GRAB HANDLE, CAB SHIELD WITH MINI LIGHT BAR, FRONT AND REAR STROBE LIGHTS, BED MOUNTED STOWAGE FOR SIGNS, BUMPER MOUNTED WHEEL CHOCK HOLDERS AND WHITE PAINT - BODY EXTERIOR AND COMPARTMENT INTERIORS. 3000 WATT 30 AMP INVERTER MOUNTED IN CURBSIDE COMPARTMENT WIRED TO BUCKET PLUG. OVER THE FRAME TORSION BARS (NO OUTRIGGERS). ONE (1) SAFETY HARNESS AND LANYARD PROVIDED. ALL BODY LIGHTS LED. BUCKET ROTATION IS 540 DEGREES NON-CONTINUOUS WITH MECHANICAL STOP. BASKER INCLUDES HYDRAULIC LEVELING AND HYDRAULIC TOOL CIRCUIT FOR USE WITH HYDRAULIC TOOLS. BODY SUPPLIED AND INSTALLED BY TRUCK EQUIPMENT SALES, MOBILE AL.

UNIT COST = \$135,175.00 EACH

PRICING PER 2022 INTERNATIONAL TRUCK SOURCEWELL AWARD – CONTRACT #060920-NVS

CITY OF FOLEY SOURCEWELL ID# 44586

Prepared For:

Foley, City Of
 Darrell Russell
 407 E Laurel Ave.
 Foley, AL 36535-2619
 (251)943 - 1545

Presented By:

WARD INT'L TRUCKS
 Howard M Clotfeller
 2101 PERIMETER RD
 MOBILE AL 36615 -
 (251)433-5616

Model Profile
2023 CV515 SFA (CV515)

AXLE CONFIG:	4X4
MISSION:	Requested GVWR: 19500. Calc. GVWR: 19500. Calc. GCWR: 26000
DIMENSION:	Wheelbase: 165.00, CA: 83.80, Axle to Frame: 63.00
ENGINE, DIESEL:	{International 6.6} EPA 2021, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 1700 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 26,000-lb GCW Max, On/Off Highway
AXLE, FRONT DRIVING:	{Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting
AXLE, REAR, SINGLE:	{Dana Spicer S14-110} Single Reduction, 13,500-lb Capacity, 190 Wheel Ends Gear Ratio: 4.30
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 225/70R19.5 Load Range H HSR+ (CONTINENTAL), 645 rev/mile, 87 MPH, All-Position
TIRE, REAR:	(4) 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive
SUSPENSION, REAR, SINGLE:	13,500-lb Capacity, Vari-Rate Springs
PAINT:	Cab schematic 100CX Location 1: 9219, Winter White (Std) Chassis schematic N/A

WARD ORDER: 620361 VIN: 1HTKTSWK1NH622090 EST BUILD DATE: 02/01/2023 SUBJECT TO CHANGE

11' SERVICE BODY WITH CRANE AND EQUIPMENT. KNAPHEIDE 6132D54CRK WITH CORNER MOUNTED CRANE REINFORCEMENT AND CRANE SPRING ENHANCEMENT. VENTURO ET12KX (3,500 LB) CRANE INSTALLED WITH DROP DOWN OUTRIGGER AND CORDED REMOTE CONTROL. VMAC G30 GAS DRIVEN ROTARY SCREW COMPRESSOR 30CFM@100 PSI, 4 CORNER STROBES AND REVEIVER HITCH WITH TRAILER PLUG. BODY SUPPLIED AND INSTALLED BY TRUCK EQUIPMENT SALES, MOBILE AL.

UNIT COST = \$104,579.00 EACH

PRICING PER 2022 INTERNATIONAL TRUCK SOURCEWELL AWARD – CONTRACT #060920-NVS

CITY OF FOLEY SOURCEWELL ID# 44586

City of Foley
PO Box 1750
Foley, AL 36536-1750

ID# 44586

Is this your organization?

Great news—your organization is already a Sourcewell participating agency! Using the account number provided on this page, you can immediately utilize Sourcewell awarded contracts by providing this number to the supplier you wish to purchase from.

[Update your organization's information](#)

[Add a contact for your organization](#)

Need help?

Contact our dedicated Client Relations Team at service@sourcewell-mn.gov or 877-585-9706.



[About](#)

[Careers](#)

[Compliance & Legal](#)

[Contact](#)

[News](#)

[Terms & Conditions](#)

[Privacy Policy](#)

[Accessibility](#)